



THE AMERICAN ASSOCIATION FOR
LABORATORY ACCREDITATION

ACCREDITED LABORATORY

A2LA has accredited

STANDRIDGE COLOR CORPORATION

Social Circle, GA

for technical competence in the field of

Mechanical Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005 *General Requirements for the Competence of Testing and Calibration Laboratories*. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (*refer to joint ISO-ILAC-IAF Communiqué dated 18 June 2005*).



Presented this 23rd day of September 2008.

A handwritten signature in black ink, appearing to read "Peter Abney".

President
For the Accreditation Council
Certificate Number 1950.01
Valid to June 30, 2010

For the tests or types of tests to which this accreditation applies,
please refer to the laboratory's Mechanical Scope of Accreditation.

SCOPE OF ACCREDITATION TO ISO/IEC 17025:2005

STANDRIDGE COLOR CORPORATION¹
1196 East Hightower Trail
Social Circle, GA 30025
David L. Myers Phone: 770 464 3362

MECHANICAL

Valid To: June 30, 2010

Certificate Number: 1950.01

In recognition of the successful completion of the A2LA evaluation process, accreditation is granted to this laboratory to perform the following tests on plastics:

<u>Test Method(s)</u>	<u>Test Description</u>
ASTM D256; ISO 180	Izod Pendulum Impact Resistance
ASTM D618 (Procedure A)	Conditioning Plastics for Testing
ASTM D638; ISO 527 (Parts 1 and 2)	Tensile Properties
ASTM D648 (Procedure B); ISO 75 (Parts 1 and 2)	Deflection Temperature Under Flexural Load
ASTM D790; ISO 178	Flexural Properties
ASTM D792 (Method A)	Density and Specific Gravity
ASTM D1238; ISO 1133	Melt Flow Rate
ASTM D2244	Calculation of Color Tolerances and Color Differences from Instrumentally Measured Color Coordinates
ASTM D5630 (Procedure B); ISO 3451-1 (Procedure A)	Ash Content
ISO 179	Charpy Impact

¹ This accreditation covers testing performed at the main laboratory listed above, and at the satellite laboratory indicated.

STANDRIDGE COLOR CORPORATION
111 Stewart Parkway
Greensboro, GA 30642

<u>Test Method(s)</u>	<u>Test Description</u>
ASTM D256; ISO 180	Izod Pendulum Impact Resistance
ASTM D618 (Procedure A)	Conditioning Plastics for Testing
ASTM D638; ISO 527 (Parts 1 and 2)	Tensile Properties
ASTM D648 (Procedure B); ISO 75 (Parts 1 and 2)	Deflection Temperature Under Flexural Load
ASTM D790; ISO 178	Flexural Properties
ASTM D792 (Method A)	Density and Specific Gravity
ASTM D1238; ISO 1133	Melt Flow Rate
ASTM D2244	Calculation of Color Tolerances and Color Differences from Instrumentally Measured Color Coordinates
ASTM D5630 (Procedure B); ISO 3451-1 (Procedure A)	Ash Content
ASTM D6980	Determination of Moisture in Plastics
ISO 179	Charpy Impact
ISO 11357 (Parts 1 and 3)	Differential Scanning Calorimetry (DSC)